

- A
- AA, *see* Alcoholics Anonymous
- AAMR, *see* American Association of Mental Retardation
- AARP (American Association of Retired Persons), 526
- ABAB design, *see* Reversal design
- ABN, *see* Arched-back nursing
- Abnormal behavior, 4–6, G1
- Abnormal psychology:
- fascination with, 2–3
 - objectivity in, 2
- ABS (Adaptive Behavior Scale), 478
- Abuse, *see specific type of abuse, e.g.:* Childhood abuse
- The Abuse Excuse* (Alan Dershowitz), 570*n*
- Acamprosate, 337
- Acceptance (couples therapy), 552
- Accidents, as cause of mental retardation, 482
- Acetaminophen, 311
- Acetylcholine, 143–144
- Achievement striving, 202
- Acquired immunodeficiency syndrome, *see* AIDS
- Acrophobia, 123, 142–143
- Active-treatment control groups, 531
- Acute stress disorder (ASD), 71, 130, 155, G1
- Adaptive Behavior Scale (ABS), 478
- Adaptive functioning, 478
- Addiction, 297, G1
- Addington v. Texas*, 583
- ADE, *see* Assessment of Daily Experience
- ADHD, *see* Attention-deficit/hyperactivity disorder
- Adler, Alfred, 21
- Adoptees method, 110, G1
- Adoption studies, 33–34, 361
- Adrenal cortex, 42
- Adrenal glands, G1
- Adrenaline, 143–144, G1
- Adrenocorticotrophic hormone, 42
- Advanced directives, 591, G1
- Advertising, cigarette and alcohol, 324–325, 346
- Affect, 52, G1. *See also* Emotion(s)
- flat, 354
 - inappropriate, 356
 - and mood disorders, 246–247
- African Americans, 333
- alcohol abuse among, 300
 - conduct disorder among, 465
 - eating disorders among, 283–284
 - and psychological treatment, 536, 538
 - schizophrenia among, 377
 - substance abuse among, 327
 - tobacco use among, 304–305
- Age and aging, 497–502. *See also* Late life
- and immune response to stress, 197
 - research methods in study of, 500–502
- Age effects, 500, G1
- Ageism, 498
- Aggression, 24, 47, 327
- Agonists, 38, G1
- Agoraphobia, 110, 126, 128, 145, 146, G1
- Agranulocytosis, 376
- AIDS (acquired immunodeficiency syndrome), 211–215, 506, G1
- clinical description of, 211
 - prevention of, 212–215
 - spread of, 211–212
 - and stress-induced changes, 196
- Alabama, 587
- Alanon Family Groups, 332
- Alateen, 333
- Alcohol:
- biphasic effect of, 301
 - short-term effects of using, 301
 - and stress, 326
 - taxation of, 323
- Alcohol abuse and dependence, 298–303
- costs of, 300–301
 - effects of prolonged, 301–303
 - etiology of, 322
 - gender differences in, 53
 - genetic factors in, 328–329
 - models of, 300
 - multiple perspectives on, 57–58
 - and personality disorders, 327
 - prevalence of, 299–300
 - and sadism, 439
 - treatment of, 331–337
 - withdrawal, 298–299
- "Alcoholic" (term), 298, 332
- Alcoholics Anonymous (AA), 300, 332–335, 548
- Alcohol myopia, 326
- Alexander, F., 198
- ALI guidelines, *see* American Law Institute guidelines
- Alleles, 32, 33, G1
- Allergies, 210
- Alliumphobia, 124
- Allostatic load, 196, 199, G1
- Alogia, 353–354, G1
- Alpert, Richard, 318
- Alprazolam (Xanax), 42, 137, 146
- Alprostadil, 427
- Alternate-form reliability, 62, G1
- Alternative living settings, 526
- Altruistic suicide, 264, G1
- Alveoli, 208
- Alzheimer, Alois, 503
- Alzheimer's disease, 503–505, 596, G1
- and APOE-4 allele, 33
 - and linkage analysis, 33
 - PET scan of brain with, 91
- Ambulatory blood pressure studies, 201–202
- American Association of Mental Retardation (AAMR), 479–480
- American Association of Retired Persons (AARP), 526
- American Civil Liberties Union, 264

American Indians, *see* Native Americans

American Law Institute (ALI) guidelines, 567–569, G1

American Legacy Foundation, 325, 345, 346

American Medical Association, 264, 324

American Psychiatric Association, 66, 415

American Psychological Association, 73

Americans with Disabilities Act, 383

America's Law Enforcement and Mental Health Project Act, 592

Amino acid, G1

Amnesia, 174–177, G1

Amnesic syndrome, 302

Amok, 68, 69

Amphetamines, 313–316, 340, 363, 364, G1

Amphetamine psychosis, 363

Amygdala, 40, 133, 134, 240–242, 364, 395, G1

Anafranil, *see* Clomipramine

Analogue experiments, 114–116, G1

Anal stage, 18, G1

The Analysis of the Self (Heinz Kohut), 397

Analysis of transference (psychoanalysis), 20

Analytical psychology, 21, G1

Anandamide, 306

Androgens, 443

Anesthesia, 164, 165, G1

Anger:

- and coronary heart disease, 205
- and essential hypertension, 202
- gender differences in, 217
- and hypertension, 222
- and myocardial infarction, 204
- and psychophysiological disorders, 221
- and treatment of psychophysiological disorders, 224

Anger-in theory, 198, G1

Angina pectoris, 203, G1

Anglophobia, 124

Anhedonia, 354, G1

Animal magnetism, 16, 17

Animal studies:

- of effects of alcohol, 325, 328–329
- of marijuana use, 308
- of perceived control, 135

"Anna O.", 17, 164, 166

Anomic suicide, 264–265, G1

Anorexia nervosa, 271–273, G1

- cognitive behavioral views of, 288
- cultural factors in, 282–283
- and ethnic differences, 283
- genetic factors in, 278
- in men vs. in women, 272
- neurobiological factors in, 279
- physical changes in, 272–273
- prognosis for, 273
- psychodynamic theories of, 284
- psychological treatment of, 291–292
- subtypes of, 271–272

Anosmia, 164

ANS, *see* Autonomic nervous system

Antabuse, 333, 335, 337, G1

Antagonists, 38, G1

Anterior cingulate, 40, 148, 240–242, G1

Antianxiety medications, 427

Anticonvulsants, 257, 259

Antidepressants, 136, 148, 291, 337, 340, 507, G1

- for depressive disorders, 256, 257
- increasing use of, 42
- studies of, 239
- in suicide prevention, 266
- for use with children, 459

Antihistamines, 373

Antipsychotic drugs (antipsychotics), 364–365, 373–379, 407, G1

- for bipolar disorder, 259
- for depressive disorders, 257
- function of, 42
- in suicide prevention, 266

Antiseizure medications, 259

Antisocial personality disorder (APD), 398–402, G1

- adoption studies of, 33–34
- and drug abuse, 327
- emotions with, 53
- etiology of, 400–402
- gender differences in, 53

Anxiety, G1

- in children, 471–473
- comorbidity of, 71
- and coronary heart disease, 206
- cultural descriptors for, 68
- defined, 122
- fear vs., 122
- and psychophysiological disorders, 221
- and serotonin knockout, 33
- and sexual dysfunction, 423
- systematic desensitization for, 26
- and treatment of sexual dysfunctions, 424, 426

Anxiety disorders, 121–157, G1

- and aberrant brain processes, 36
- acute stress disorder, 129–130
- affective dimensions of, 246
- agoraphobia, 126, 145
- attention in, 49
- autonomic nervous system in, 41–42
- comorbidity in, 130–131
- and culture, 131–132
- defined, 122
- and emotion Stroop task, 49
- etiology of, 138–141, 143–145, 147–153
- and gender, 131
- generalized anxiety disorder, 126, 127, 147–148
- in late life, 517–518
- neurotransmitters involved in, 37
- obsessive-compulsive disorder, 127–128, 148–151
- panic disorder, 125–126, 143–145

phobias, 123–125, 138–143
 posttraumatic stress disorder, 129–130, 151–155
 risk factors for, 133–136
 summary of (table), 123
 treatments for, 136–137, 141–143, 145–148, 150–151, 153–155
 Anxiety Sensitivity Index (ASI), 145, G1
 Anxiolytics, 136, 142, G1
 Anxious/fearful cluster of personality disorders, 403–406
 APD, *see* Antisocial personality disorder
 Aphasia, G1
 Aphonia, 164
 APOE-4, 33, 505
 Appetitive phase, 416, G1
 Applied behavior analysis, 483
 Aptitude test, G1
 Arachibutyrophobia, 124
 Arbitrary inference, 247
 Arched-back nursing (ABN), 34–35
 Archetypes, 21
 Aricept, *see* Donepezil
 Arousal, 122, 129
 Arousal reduction, 225
 Articulated Thoughts in Simulated Situations (ATSS), 87–88
 Ascriptive responsibility, 569, G1
 ASD, *see* Acute stress disorder
 Ashcroft, John, 264
 ASI, *see* Anxiety Sensitivity Index
 Asians and Asian Americans, 328, 536–537
 Asociality, 354, G1
 Asperger's disorder, 485, G1
 ASQ (Attributional Style Questionnaire), 250
 Assertive Community Treatment model, 382
 Assertiveness training, 334
 Assessment, 74–98
 cultural bias in, 96–98
 and ethnic diversity, 96
 importance of, 61
 neurobiological, 89–95
 psychological, 74–89
 reliability in, 61–62
 validity in, 61–63
 Assessment of Daily Experience (ADE), 78, 80, 191–192
 Associations, loose, 355
 Association studies, 33, 362
 Asthma, 207–210, G1
 Asylums, 10–11, G1
 Asymmetriphobia, 124
Ataque de nervios, 131
 Atherosclerosis, 200, 206
 Atkins, Daryl, 578, 579
 ATSS, *see* Articulated Thoughts in Simulated Situations
 Attention:
 in Beck's cognitive therapy, 50
 cognitive science view of, 49
 in mood disorders, 49
 and schema, 49
 Attention-control groups, 531
 Attention-deficit/hyperactivity disorder (ADHD), 451–458, 460, G1
 comorbidity of, 453–454
 and conduct disorder, 453
 etiology of, 455–457
 gender differences in, 53
 heritability of, 31
 and substance abuse, 327–328
 treatment of, 457–458, 460
 Attention to threat, 135
 Attribution, 248, 249, G2
 Attributional style, 249, G2
 Attributional Style Questionnaire (ASQ), 250
 Atypical antipsychotic drugs, 376–377, G2
 Augustine, Saint, 261
 Australia, 282, 323, 372
 Austria, 167
 Autism, 460
 and brain size, 40
 positive reinforcers for, 47
 Autistic disorder, 485–493, G2
 communication deficits in, 487–488
 etiology of, 489, 491–492
 and mental retardation, 486
 and pervasive developmental disorders, 485–486
 prognosis for, 488–489
 repetitive and ritualistic acts in, 488
 social and emotive disturbances in, 486–487
 treatment of, 492–493
 Autoimmune diseases, 196
 Autonomic nervous system (ANS), 40–42, 401, G2
 and asthma attacks, 209
 and biofeedback, 224
 interdependencies of, 195
 measuring activity of, 94
 Aversion therapy, 334, G2
 Aversive conditioning, 26, G2
 Avoidance, 129
 Avoidance conditioning, G2
 Avoidance coping, 191
 Avoidance learning, G2
 Avoidant personality disorder, 403–404, G2
 Avolition, 353, G2
Awakenings (film), 358
 Axes of classification, 64–65
 Axis I disorders, 64–66, 71
 Axis II disorders, 64–66, 71
 Axis III disorders, 64, 65
 Axis IV disorders, 64, 65
 Axis V disorders, 64, 65
 Axons (neurons), 37, 38
 Azaspirodecanediones, 137
 Azrin, Nathan, 333
 Aztecs, 318

- B
- BA, *see* Behavioral activation
- Baltimore, Maryland, 311
- Bandura, Albert, 51
- Barbiturates, 312–313, 340, G2
- Barr, Roseanne, 182
- Basal ganglia, 39, 134
- Baseline, G2
- Basinger, Kim, 129
- BA therapy, *see* Behavioral activation therapy
- Bazelon, David, 567
- B-complex vitamins, 302
- Beck, Aaron, 50, 247–249, 253, 254, 407, 545–549
- Bed-wetting, 47
- Beecher, Henry K., 594
- Behavior:
- abnormal, 4–6, G1
 - consequences reinforcing, 47
 - disorganized, 355
 - in psychoanalytic paradigm, 47
- Behavioral activation (BA), 254, 558
- Behavioral activation (BA) therapy, 255, 544, G2
- Behavioral assessment, 85–87, G2
- Behavioral couples therapy, 551
- Behavioral factors:
- in obsessive-compulsive disorder, 149
 - in panic disorder, 144
 - in posttraumatic stress disorder, 152
 - in social phobia, 140
 - in specific phobias, 138–140
- Behavioral inhibition, 134, 135, G2
- Behavioral marital therapy, 255, G2
- Behavioral medicine, 189, 224, G2
- Behavioral observation, 86, G2
- Behavioral-skills training, 225
- Behavioral therapies, 544–545. *See also* Cognitive behavioral therapy (CBT)
- for autistic disorder, 492–493
 - for generalized anxiety disorder, 148
 - for mental retardation, 483
 - for obsessive-compulsive disorder, 43, 150
 - for phobias, 141–142
 - for posttraumatic stress disorder, 154
 - for somatoform disorders, 170
- Behavior genetics, 15, 31–32, G2
- correlational method in, 109–110
 - defined, 31
 - schizophrenia, 360–361
- Behaviorism, 22–25, 48, G2
- Behavior modification, 24
- Behavior therapy, 24–25, G2
- cognitive behavioral paradigm vs., 51
 - criticisms of, 48
 - influences from, 47–48
 - rational-emotive therapy vs., 51
- Beliefs, 50
- Benzedrine, 313
- Benzodiazepines, 42, 136, 137, 146, 148, 301, 313, 518, G2
- Berdache, 429
- Beta blockers, 142, G2
- Bettelheim, Bruno, 489
- Bianchi, Ken, 183
- Biases, 50, 109
- Bibliophobia, 124
- Bill of Rights, 563–564
- Binet, Alfred, 84, 85
- Binges/binging, 273–274, 288, 289
- Binge drinking, 296, 299–300
- Binge eating disorder, 275–276, G2
- Binge-eating--purging type anorexia, 271–272
- Bini, Lucino, 16
- Biofeedback, 172, 222, 224, G2
- Biological factors. *See also* Neurobiological factors
- in asthma development, 210
 - in risk of coronary heart disease, 206
 - in sexual dysfunctions, 421–422
 - in theories of psychophysiological disorders, 195–198
- Biological stress reaction, 196
- Biological treatments:
- early forms of, 15–16
 - of mood disorders, 256–260
 - for paraphilias, 442–443
- Biphasic effect, 301
- Bipolar disorders, 233–237, 250–251
- biological treatment of, 259–260
 - in children, 459
 - cyclothymia, 233, 234
 - diagnosis of, 61
 - early classification of, 14
 - epidemiology and consequences of, 234–235
 - heritability of, 15, 238
 - neurobiological hypotheses about, 238
 - psychological treatment of, 255–256
 - subtypes of, 235, 237
 - type I, 233–235, G2
 - type II, 233, 234, G2
- Blaming, 380
- Bleuler, Eugen, 357
- Blindness, hysterical, 166, 167
- Blindsight, 167, G2
- Blocking, G2
- Blood pressure, 200, 201, 224
- Blushing, 141
- BMI, *see* Body mass index
- Bodily sensations, fear of, 144–145, 170
- Body dissatisfaction, 274, 281, 283, 288
- Body dysmorphic disorder, 159, 161–162, 169, 172, G2
- Body image, 161–162, 271
- Body mass index (BMI), 275, 276, G2
- Body weight, and hypertension, 221–222
- BOLD (blood oxygenation level dependent), 90, G2