

A

Acclaim Extra, *see* Fenoxypop *p*-ethyl
Accommodation, 6
Accountability, 200
Acidic soils, 34
Aeration, 19, 32, 66, 113, 162–163
Aerobic bacteria, 113
African bermudagrass, 42, 43
Agrostis spp., *see* Bentgrasses
Air movement, 56–57
Algae, 111–113, 124. *See also* Blue-green algae
Alkalinity, 33–34, 63, 109–110, 123
Alone (Kocide), 141
Alta (tall fescue cultivar), 13–14
Alternation, 144, 178–179
Aluminum sulfate, 113
Analysis, 1, 2
Annual bluegrass (*Poa annua* L.), 10*f*, 40, 129–131, 176
 and bacterial wilt, 180
 control of, 130–134
 and copper spot, 181
 and crown rotting anthracnose, 148
 and dollar spot, 143
 and drainage problems, 64, 99, 127
 ethofumesate for control of, 129
 ice damage to, 53–55, 85
 insect damage to, 165, 167–169, 183–184
 invasion by, 18
 and limited fertilization, 134
 mowing height, 188
 and nitrogen fertilization, 130
 and phytotoxicity, 155
 and preemergence herbicides, 132
 rapid germination, 129
 and salinity tolerance, 161
 seed head emergence, 20–22
 and shade, 69
 using limited fertilization to manage, 134–135
 and warm-season turfgrasses, 22, 23
 as weed, 128–135
Annual ryegrass (*L. multiflorum* Lam.), 10*f*, 40, 41
Anoxia, 55
Anthracnose, 57, 148–150, 179
Anti-pesticide groups, 194–195
Aphodius grubs, 166, 183
Application knowledge, 1
Aquatic dyes, 113
Ar (tropical-wet climate), 24
Ascospores, 160
Assimilation, 5
Atmospheric environment, 48–57, 83–85
 hailstorms, 56
 ice, 53–55
 shaded areas, 48–54
 southern-facing slopes, 53
 trees and limited air movement, 56–57

Augusta National Golf Course, 76
Azadirachtin, 170
Azoxystrobin (Heritage), 148, 161

B

Backfilling, 20, 65, 111
Bacteria/bacterial wilt, 152–153, 170, 180
Bahigrass, 12*f*, 35, 44
Ball mark-repair tool, 56, 130
Banner, *see* Propiconazol
Barley straw, 113
Barricade (prodiamine), 132
Basamid Granular (bazomet), 134
Baseball field, soil environment of, 74–75
Basidia, 158
Basidiocarps, 157, 181
Basidiospores, 157, 158
Battle, *see* Lambda-cyhalothrin
Bazomet (Basamid Granular), 134
Beauveria bassiana, 184
Belonolaimus spp., 163, 183
Benefin and trifluralin (Team), 132, 139
Bensulide (Bensumec), 23, 130
Bentgrasses (*Agrostis* spp.), 11*f*, 41–42, 110. *See also* Creeping bentgrass; Velvet bentgrass
Bentgrass dead spot, 159–160, 181–182
Benzimidazoles, 143–145, 147, 160
Bermudagrass (*Cynodon* spp.), 11*f*, 22–27, 33–35
 cold-tolerant, 28–30
 control of, 141–142
 on fairways, 140–141
 and traffic tolerance, 25
 ultradwarf-type, 29–31, 159, 163
Besamid Granular (Dazomet), 134
Bezimidazole fungicide drench, 149–150
Bicarbonate ions, 106–108
Bifenthrin (Talstar), 167, 170
Biostimulants, 20, 32
Biotic environment, 47, 77–82, 88–89
 fairways, 77–81
 tees, 81–82
 traffic issues, 77–81
Bispyrobac-sodium (Velocity), 131, 133, 177
Black cutworms, 169–170, 184
Black layer, 59
 and anaerobic conditions, 87
 and calcium citrate, 105–106
 and dispersed clay and silt, 110
 and drainage problems, 61
 and hollow-tine cultivation, 116
 and metal sulfides, 125
 and sand based greens, 115
 and temporary water table, 59
 and topdressing, 115–117
Black turfgrass, 165, 166, 183
Bloom's taxonomy, 2

- Bluegrasses (*Poa* spp.), 10*f*, 39–40, 110, 129, 151. *See also*
 Annual bluegrass
- Blue-green algae, 112, 162–163, 182
- Blue light, 49
- Bonsai (tall fescue cultivar), 14
- Border collies, 176
- Branta canadensis*, 175, 185
- Brown patch disease, 14, 85, 147, 179
- Browntop bentgrass (*Agrostis capillaris* L.), 134, 162
- BS (semiarid) climate, 33
- BSkw (cold semi-arid dry-winter climate), 26
- Budget reductions, 192–194
- Buffalograss, 11*f*, 26, 44, 104, 110
- Bullying, 213
- Bunkers, 76. *See also* Sand bunkers
- Bypass drainage, 20, 60, 116
- C
- Calcareous sands, 63, 86
- Calcium carbonate, 107
- Calcium citrate, 105–106
- Calcium hydroxide, 105
- Calcium ions, 105, 107
- Calcium oxide, 105
- Canada bluegrass, 10*f*, 40
- Canada geese, 175–176, 185
- Canvas tarps, 73
- Capital-improvement projects, 192
- Carbaryl (Sevin), 170
- Carbohydrates, 54, 83
- Carbonate ions, 107
- Carbon dioxide, 49, 50
- Carboximides, 143, 144, 147
- Carfentrazone, 141
- Carpetgrasses (*Axonopus* spp.), 36, 45, 110
- Cart paths, 81
- Cart traffic, 77–81
- Case studies, 4
- Catch basins, 70, 74
- Cation-exchange capacity (CEC), 101, 123
- Center-line sprinklers, 102
- Centipedegrass, 12*f*, 34, 45, 110
- Cfa, *see* Warm subtropical-humid climate
- Cfb, *see* Cool subtropical-humid climate
- CGM (corn gluten meal), 139
- Champion bermudagrass, 30, 31
- Chelated iron, 133
- Chewings fescue, 13, 37, 38, 134
- Chickweed, 136
- Chipco Choice (fipronil), 173
- Chipco Signature, *see* Fosetyl-aluminum
- Chipco 26GT, *see* Iprodione
- Chlordane, 173
- Chloroneb (Teremec), 158
- Chlorosis, 182–183
- Chlorothalonil (Daconil, Mainicure), 128, 142–145, 147, 148, 161, 163, 178
- Chlorpyrifos (Dursban), 167, 168, 170
- Class- B PGRs, 131
- Classic bermudagrass, 30
- Clay soils, 67, 110
- Climatic classification system, 9
- Clip of the reel (CR), 92, 118
- Cold semi-arid dry-winter climate (BSkw), 26
- Cold tolerance, 28–30, 54
- Colletotrichum*, 148–149, 154, 179
- Colonial bentgrass, 11*f*, 17, 41, 42, 133, 151
- Communication:
 for golf course superintendents, 189–190
 and recognizing superior's expectations, 210–211
- Compacted soil, *see* Soil compaction
- Compass, *see* Trifloxystrobin
- Conceptual knowledge, 1
- Conidia, 161
- Conserve SC (spinosad), 170
- Contact fungicide(s):
 as aromatic hydrocarbon, 158
 and bentgrass deadspot control, 160
 as foliar-protectant, 178
 for *Pythium* blight control, 154, 180
 and resistance development, 178
 rotation of, with systemic fungicide, 147–148
 for *Typhula* control, 181
- Convergence, 5
- Cool-season turfgrass(es), 9–22, 37–42. *See also* Bentgrasses;
 Bluegrasses; Fescues; Rye grasses
 and erosion, 16–17
 on fairways, 17–18
 football fields, 15–16
 on greens, 18–22
 in high-traffic areas, 9, 13–14
 as lawn turf, 14–15
 and light vs. shade, 14–16
 for new golf course, 17–18
 as roadside turf, 16–17
 rooting depth, 19–20
 in roughs, 9, 13–14
 seed head emergence, 20–22
- Cool subtropical-dry summer climate (Csb), 37
- Cool subtropical-humid climate (Cfb), 26, 28–30, 37
- Cool temperate-continental climate (Dcb), 14, 15, 18, 30
- Cool temperate-oceanic climate (Dob), 17, 135
- Copper hydroxide, 141
- Copper spot disease, 155–156, 181
- Copper sulfate, 113
- Cores, soil, *see* Soil cores
- Core cultivation, 53, 114–115
- Core removal, 20, 111, 124
- Corn gluten meal (CGM), 139
- CR, *see* Clip of the reel
- Crabgrass (*Digitaria* spp.), 74, 135, 137–139, 177

- Creeping bentgrass (*Agrostis stolonifera* L.), 11*f*, 30, 41–42
 and atmospheric environment, 48, 53, 56
 and biotic environment, 81
 black cutworms, 169, 184
 and cool-season turfgrasses, 17–18, 24
 discoloration, 132–133
 diseases affecting, 149–151, 159
 and ice damage susceptibility, 54
 management of, 129–132
 mowing, 98
 Penncross, 19, 59, 61, 99, 127, 133
 Penneagle, 133
 Pennlinks, 133
 and phosphorus deficiency, 121
 and salinity tolerance, 161
 and soil environment, 62, 64
 Toronto, 152–153
 ultra-high-density, 32
 and weeds, 128–134, 139
- Creeping red fescue, 13, 14, 37, 38, 134
- Crested wheatgrass, 26
- Crown death, 55
- Crown rotting anthracnose, 148–150
- Cs (subtropical-dry summer climate), 24
- Csa (warm subtropical dry-summer climate), 142
- Csb (cool subtropical-dry summer climate), 37
- Cultivation, 114–117, 124–125
 as a cultural operation, 91
 equipment for, 137
 hollow-tine, 18
 and water infiltration, 84
- Cultivation pan, 86
- Cultural problems, 91–125
 cultivation/topdressing, 114–117, 124–125
 fertilization, 99–102, 120–121
 irrigation, 102–113, 121–124
 mowing, 91–99, 117–120
- Curfew (1,3 dichloropropene), 164
- Curled dock (*Rumex crispus* L.), 136
- Cutworms, 170
- Cycles of inquiry, 5–7
- Cyflutherin (Tempo), 167, 168, 170
- D
- Daconil, *see* Chlorothalonil
- Dazomet (Besamid Granular), 134
- Dc, *see* Temperate-continental climate
- Dca, *see* Warm temperate-continental climate
- Dcb, *see* Cool temperate-continental climate
- DD (degree days), 21
- Decision case studies, 4
- Degree days (DD), 21
- Demethylation inhibitors, *see* DMI fungicide(s)
- Depressions, 53–54, 81
- Dessication damage, 61
- Dicamba, 137
- Dicarboximides, 143–145, 147, 156, 160
- 1,3 Dichloropropene (Curfew), 164
- Dicots, 176
- Dimension, *see* Dithiopyr
- Dinitroaniline herbicides, 132
- Disease(s), 142–163, 178–182
 bacterial wilt, 152–153
 bentgrass dead spot, 159–160
 blue-green algae, 162–163
 brown patch disease, 147–148
 copper spot disease, 155–156
 crown rotting anthracnose, 148–150
 dollar spot disease, 142–147
 fairways, 150–151, 153–154, 156–161
 gray leaf spot, 160–161
 greens, 148–153, 155–163
Pythium blight, 153–155
 rapid blight, 161–162
 snow molds, 157–159
 take-all patch, 150–152
 tees, 150–151
 and turfgrass communities, 50
Typhula blight, 156–159
 and wet/dry extremes, 71
- Dithiopyr (Dimension), 23, 132, 139, 140
- Divergence, 5
- Divots, 81–82
- DMI fungicide(s), 143, 145, 146, 150, 156
- Dob, *see* Cool temperate-oceanic climate
- Dollar spot disease, 13, 142–147, 178
 aggressiveness of, 146–147
 control of, 142–143
 and resistance to fungicides, 144
- Drainage, 16, 57, 63, 64, 69
 and blue-green algae formation, 162
 bypass, 20, 60, 116
 and coarse sand topdressing, 59
 and crown hydration levels, 58
 and crown rotting anthracnose control, 149
 and drill and fill, 60
 and gravel/subsoil surface layer, 72–74
 and high annual rainfall, 68
 and ice, 54
 internal, 64–66
 and irrigation in clay soils, 66–67
 and Kentucky bluegrass, 138
 and perched water table, 71, 73
 and percolation, 66
 and *Pythium* blight control, 154
 during rainfall events, 57–58
 restricted water movement, 61–62
 and temporary water table, 59–61, 87, 116
 and traffic threshold, 79
- Drain pipes, 58, 68, 70
- Drill-and-fill, 116
 and bypass drainage, 60

- and deep bypass drainage, 65–66
- for sand channel development, 68
- and sand channels, 74

Drive, *see* Quinclorac
Drought stress, 14, 84
Dryland bentgrass, 41, 42
Dursban, *see* Chlorpyrifos
Dylox, *see* Trichlorfon

E

Eagle (myclobutanil), 143
Earthworms, 173–174
Eastern hemisphere climatic conditions, 9
Economic issues, 6
Ectoparasitic string nematodes, 164, 183
Edaphic environment, 47
Edaphic problems, 85–88
Effluent water, 108–109
Embark (mefluidide), 21
Employee morale, 193–194
Employee theft, 209–210
Endoparasitic nematodes, 164
Entomopathogenic nematodes, 170, 172, 184
Environmental factors, 47–89. *See also* Disease(s)

- atmospheric environment, 48–57, 83–85
- biotic environment, 77–82, 88–89
- and recuperative capacity, 82
- and rooting depth, 19
- soil environment, 57–77, 85–88

Epsom salts, 105

Equipment:

- cultivation, 137
- maintenance of, 120, 193

Erosion, 16–17, 34–35, 75

Ethephon (Proxy), 21

Ethical issues, 6

Ethofumesate (Prograss), 127–129, 132–133, 177

Ethoprop (Mocap), 167, 170

European chafers, 165, 183

Evaluation, 2–4

Evapotranspiration, 71–73

Excelsior mats, 54

F

Fabric, porous, 84

Factual knowledge, 1

Fairway(s). *See also* Mowing

- biotic environment of, 77–81
- bunker drainage and elevation of, 69
- cool-season turfgrasses on, 17–18
- core cultivation and compaction of, 114–115
- insect problems affecting, 165–167
- irrigation of, 102–103
- soil environment of, 69–70
- turfgrass selection for, 17–18
- warm-season turfgrasses on, 24–28, 36–37

- weeds on, 131–134, 141–142

Falcon (tall fescue cultivar), 14

Fenamiphos (Nemacur), 164

Fenarimol (Rubigan), 23, 143

Fenoxyprop *p*-ethyl (Acclaim Extra), 138–140, 142

Ferric sulfate, 141

Ferrous sulfate, 141

Fertigation, 101–102, 120

Fertility:

- and root growth, 19
- and rooting depth, 32
- and turf quality, 135–138

Fertilization, 99–102, 120–121

- and algae control, 112

- as a cultural operation, 91

- for establishing greens, 100–101

- and fall hardening-off, 54

- foliar application, 20, 33, 63

- and groundwater/surface water contamination, 100–102

- and tissue test results, 135

- and traffic threshold, 80

- and uniform turf quality, 99–100

Fescues (*Festuca* spp.), 10*f*, 37–39. *See also* Tall fescue

- chewings fescue, 13, 37, 38, 134

- creeping red fescue, 13, 14, 37, 38, 134

- fine fescues, 136

- growth of, 135

- hard fescue, 9, 10*f*, 13, 17, 37–38

- and low rates of nitrogen, 14–15

- meadow fescue, 38, 39

- red fescue, 10*f*, 37

- sheep fescue, 37, 38

- and soil pH, 110

Fiber mulch, 17

Filters, intake, 124

Finale, *see* Glufosinate ammonium

Fines, 59, 66

Fine fescues, 136

Fipronil (Chipco Choice), 173

Fitness penalty, 145

Flurprimidol, 177

Foliar anthracnose, 148

Foliar applications, 100, 152

Foliar coloration, 120

Foliar fertilization, 117

- and root loss, 164, 183

- and soil alkalinity, 110, 123

Foliar-protectant fungicides, 178

Football field(s):

- cool-season turfgrasses for, 15–16

- soil environment of, 70–74

- warm-season turfgrasses for, 28–29

Foramsulfuron (Revolver), 31

Fosetyl-aluminum (Chipco Signature), 128, 155–156

Fructose, 50

Fumigation, 29